

S4 ENERGY

Dutch energy storage company

- Team of hardware and software specialists in energy storage
- Proprietary flywheel design KINEXT
- Supplier of battery systems
- Proprietary Energy Management System
- Project engineering and execution capabilities

```
Innovative Innovative Innovative Innovative Integral
Pragmatic Integral
Transparent Industrial
Turnkey Integrity
Storage Integrity
```



PRODUCTION LOCATION

- Proprietary production and assembly facility
- Strategic partnership with machine factory







KINEXT ENERGY STORAGE

KINEXT Energy Storage

Proprietary Kinetic Energy Storage

Capacity: 30 kWh

Stand-By Loss: 7 %/hr

Power Capacity: 0.1 – 1 MW

• Cycle Efficiency: 92 %

Response Time: 20 ms

• Lifetime: 20 years

• Lifetime: 1.000.000+ cycles


• Footprint: 4X4 meters

Weight: 15 tons





KINEXT ENERGY STORAGE





UNIQUE SELLING PROPOSITION

- Absorbs / injects a lot of power in short period
- Instant charging and discharging
- No degeneration of energy capacity
- High power to energy ratio
- Scalable
- Modular
- Maintenance free
- Sustainable and reliable alternative to batteries
- Circular
- Made in Holland
- Lifetime >20 year



APPLICATIONS FOR KINEXT

Cranes

Bridges

EV Fast Charging

Trains

Electrical islands

Balance Production consumption

UPS & Backup Power





























Storage

Generation

Grid



S4 ANCILLARY SERVICES ALMELO



4 9 MW installation for ancillary services

- 3 MW flywheel
- 9 MW battery / 9 MWh battery

Combination of KINEXT and battery: Prolonged lifetime of the installation



Unique EMS Software, enabling:

- Supply of FCR services
- Trading on imbalance or intraday market
- Integration of PV generation

In operation since 2018







S4 ANCILLARY SERVICES HEERHUGOWAARD


- 4 10 MW installation for ancillary services and windturbine support
 - 3 MW flywheel
 - 10 MW/9 MWh battery
- Start of operation Q4 2021







FREQUENCY OF THE GRID








Large variations in transitions in the morning and evening at the hourly crossings




STORAGE FOLLOWS GRID PATTERN



- Storage installation follows grid frequency pattern
- Power output proportional to frequency deviation
- Pattern requires swift and steep variations from charging to discharging
- Requires high annual energy throughput



HYBRID KINEXT-BATTERY SET UP



- Reduction of throughput on batteries with 50%
- Lower power demand in batteries
- Reduction of the need for cooling and load management
- Doubles the lifetime of the batteries
- & KINEXT is first in line to follow rapid frequency/power variations
- Sustainable and affordable hybrid storage solution



CRANE CASE

Crane characteristics:



Prepared for full electric

Crane operates 18-20 hours per day5,5 day per week

Diesel consumption: >200.000 l/y

Target:

Convert main source of energy from diesel to electricity


Minimal adjustments to the crane setup

Maintaining reliability






CRANE AND FLYWHEEL SETUP





CRANE AND FLYWHEEL POWER





Stand alone crane power demand

Crane power demand provided by flywheel



As a result: grid consumption for crane + flywheel setup is a low and constant power



PEAK SHAVING

PREVENT OR POSTPONE GRID CONNECTION UPGRADES

Kinext flywheel offers instant delivery of high power to shave the peaks on the demand side.





No waiting time for grid upgrade







Karin Husmann

S4 Energy Nederland B.V.

Westplein 6 3016 BM Rotterdam The Netherlands T: +31 (0)6 15 35 26 19

E: karin@s4-energy.com W: www.s4-energy.com

